

INDEX MAPS.

T. 25N, R. 1 E. 2nd Mer.

| | 282 | | 282 | | 282 | | 283 | | 283 | | 284 |
|-----|----------------|-----|----------------|-----|----------------|-----|----------------|-----|----------------|--|----------------|
| 286 | 6 | 290 | 5 | 293 | 4 | 297 | 3 | 302 | 2 | | 1 281 |
| | 289 | | 293 | | 297 | | 302 | | 302 | | 305 |
| 286 | 7 | 289 | 8 | 293 | 9 | 296 | 10 | 301 | 11 | | 12 281 |
| | 289 | | 294 | | 296 | | 301 | | 301 | | 305 |
| 285 | 18 | 288 | 17 | 292 | 16 | 296 | 15 | 300 | 14 | | 13 280 |
| | 288 | | 292 | | 295 | | 300 | | 300 | | 304 |
| 285 | 19 | 288 | 20 | 291 | 21 | 295 | 22 | 299 | 23 | | 24 280 |
| | 287 | | 291 | | 295 | | 299 | | 299 | | 304 |
| 285 | 30 | 287 | 29 | 291 | 28 | 294 | 27 | 298 | 26 | | 25 279 |
| | 287 | | 291 | | 294 | | 298 | | 298 | | 303 |
| 284 | 31 | 286 | 32 | 290 | 33 | 293 | 34 | 297 | 35 | | 36 279 |
| | 277 | | 277 | | 277 | | 278 | | 278 | | 278 |

T. 26N, R. 1 E. 2nd Mer.

| | 314 | | 314 | | 314 | | 315 | | 315 | | |
|-----|----------------|-----|----------------|-----|----------------|----------------|----------------|-----|----------------|--|-------------------------------|
| 317 | 6 | 320 | 5 | 324 | 4 | 328 | 3 | 333 | 2 | | 1 |
| | 320 | | 324 | | 327 | | 332 | | 333 | | 336 ³¹³ |
| 316 | 7 | 320 | 8 | 323 | 9 | 327 | 10 | 332 | 11 | | 12 ³¹³ |
| | 320 | | 323 | | 327 | | 331 | | 332 | | 335 |
| 316 | 18 | 319 | 17 | 323 | 16 | 326 | 15 | 331 | 14 | | 13 ³¹² |
| | 319 | | 322 | | 326 | | 330 | | 331 | | 335 |
| 316 | 19 | 318 | 20 | 322 | 21 | 326 | 22 | 330 | 23 | | 24 ³¹² |
| | 318 | | 322 | | 325 | | 329 | | 330 | | 334 |
| 316 | 30 | 318 | 29 | 321 | 28 | 325 | 27 | 329 | 26 | | 25 ³¹¹ |
| | 318 | | 321 | | 325 | | 328 | | 329 | | 334 |
| 315 | 31 | 317 | 32 | 321 | 33 | 324 | 34 | 328 | 35 | | 36 ³¹¹ |
| | 309 | | 309 | | 309 | | 310 | | 310 | | 310 |

The figures on the lines refer to the page.

Township Lines.

Ch. Lk. South Boundary. Var. $5^{\circ}45'$ E.
East on the S. Boundary of Sec. 31

28.00 a W. Oak 15 in. dia.

40.00 set of sec. post from which

an Ash 20 in. dia. bears $N81^{\circ}E$ 120 yds. dist. S

a Do 18 " " " $S81^{\circ}W$ 7 " "

57.53 an Ash 18 " "

80.00 set post cor. of sec. 31 & 32 from which

an Ash 16 in. dia. bears $N45^{\circ}E$ 110 yds. dist. S

a B. Oak 36 " " " $S49^{\circ}E$ 17 " "

This mile level, timber Beech, Oak, Ash &
Upr. Spruce

East on the S. Boundary of Sec. 32

26.34 a S. Ash 20 in. dia.

35.00 an Elm 36 " "

40.00 set of sec. post from which

a Beech 10 in. dia. bears $N59^{\circ}W$ 170 yds. dist. S

a Do 18 " " " $S6^{\circ}E$ 39 " "

47.34 a Hickory 18 " "

64.57 a B. Oak 36 " "

80.00 set post cor. of sec. 32 & 33 from which

a W. Oak 8 in. dia. bears $N32^{\circ}E$ 80 yds. dist. S

an Ironw. 8 " " " $S26^{\circ}W$ 38 " "

This mile level wet Beech land

East on the S. Boundary of Sec. 33

12.70 a Beech 24 in. dia.

40.00 set of sec. post from which

a Beech 20 in. dia. bears $N129^{\circ}W$ 19 yds. dist. S

an Ash 11 " " " $S25^{\circ}W$ 28 " "

48.54 a Beech 20 " "

80.00 set post cor. of sec. 33 & 34 from which

an Ash 15 in. dia. bears $N30^{\circ}E$ 70 yds. dist. S

a B. Oak 20 " " " $S53^{\circ}E$ 11 " "

T. 26 N., R. 1 E. 2. Mer. Ind.

Ch. Cr.

Level wet swampy brushy land

East on the S. Boundary of Sec. 34

10.40 a Beech 24 in. dia.

40.00 set g. sec. post from which

a Beech 10 in. dia. bears N 15 E 15 lbs. dist. 8

a Do 8 " " " S 41 E 8 " "

80.00 set post cor. of sec. 34 & 35 from which

a Hickory 20 in. dia. bears N 1 W 26 lbs. dist. 8

an Oak 24 " " " S 28 E 36 " "

This mile level wet land, timber Beech, Oak,
Ash Brushy.

East on the S. Boundary of Sec. 35

14.34 a Hickory 24 in. dia.

40.00 set g. sec. post from which

an Elm 8 in. dia. bears N 57 E 12 lbs. dist. 8

an Ash 12 " " " S 52 E 17 " "

59.13 an Ash 12 " "

75.72 Intersect W. Boundary of Miami Reservation,
set post from which

a B. Oak 30 in. dia. bears S 34 W 51 lbs. dist. 8

a Beech 24 " " " N 36 W 45 " "

Level wet brushy land. Timber Beech,
Oak &c. June 10, 1821

Henry Bryan, D. S.

East From corner in West Boundary of Reservation
or cor. of sec. 35 & 36 Var. S. 45 E.

4.91 a P. Oak 40 in. dia.

17.05 a Lym 16 " "

23.38 an Elm 40 " "

45.50 a Pin Oak 22 " "

65.16 a Bur Oak 60 in. dia.

79.50 Intersect line between R. 1 & 2 E. 458 lbs. N. of
temp. post - where set post cor. of T. 25 & 26 N,

T. 26 N., R. 1 E. 2. Mer. Ind.

W. S. S.

R. 1 & 2 E. from which

a Beech 18 in. dia. bears S 52 E 31 Mos. dist. 8

a Do 8 " " " N 30 W 5 " "

Level 2. rate land. Timber Beech, Elm, Ash,

Sugar, Hickory, Gum & Wg. Spice, Pawpaw &

October 13. 1838

West on S. Boundary of Sec. 36

14.34 a Bur Oak 60 in. dia.

34.00 a Pin Oak 22 " "

40.00 set of sec. part from which

a Beech 20 in. dia. bears S 65 E 36 Mos. dist. 8

a Do 24 " " " N 65 W 23 " "

62.45 a Gum 16 " "

74.59 a R. Oak 46 " "

79.50 to sec. cor. October 13. 1838

East Boundary. Var. S. 45. E.

North on the E. Boundary of Sec. 36

9.08 a Poplar 22 in. dia.

16.90 over dry Slue 20 Mos. wide corner W

33.22 a Swamp Ash 14 in. dia.

40.00 set of sec. part from which

a Swamp Ash 6 in. dia. bears N 75 W 10 Mos. dist. 8

a Bur Oak 36 " " " S 83 E 12 " "

52.90 a Pin Oak 40 " "

71.12 a W. Elm 20 " "

80.00 set part cor. of sec. 25 & 36 from which

a Maple 16 in. dia. bears S 51 W 25 Mos. dist. 8

a Bur Oak 7 " " " N 24 W 8 " "

Flat wet 3 rate land. Timber Elm, Ash,
Oak, Beech & Wg. Spice, Willow &

North on the E. Boundary of Sec. 25

21.29 a Hickory 30 in. dia.

32.40 a W. Oak 26 " "

T. 26 N., R. 1 E., T. 2 S. Mer. Ind.

Cm. Ck.

40.00 set of sec. part from which
 a Beech 5 in. dia. bears S 40° W 20 lbs. dist. 8
 a Do 8 " " " N 8 E 21 " "
 58.36 a Bur Oak 20 in. dia.
 80.00 set part cor. of sec. 24 & 25 from which
 a Maple 30 in. dia. bears S 10° W 11 lbs. dist. 23
 a B. Ark 24 " " " N 59° W 35 " "
 Land same as on last mile

North on the E. Boundary of Sec. 24

0.50 a Maple 10 in. dia. Enter Swamp, W
 3.50 leave Swamp
 11.00 a R. Oak 12 in. dia.
 31.62 a Poplar 22 " "
 40.00 set of sec. part from which
 a Beech 26 in. dia. bears N 13° W 21 lbs. dist. 8
 a Do 24 " " " N 80° W 38 " "
 45.40 a Sycamore 18 " "
 58.00 over Glue 20 lbs. wide course W (Rock Creek)
 72.05 a Gray Ark 20 in. dia.
 80.00 set part cor. of sec. 13 & 24 from which
 a Hickory 18 in. dia. bears S 31° W 25 lbs. dist. 8
 a Swamp. Ark 4 " " " N 57° W 24 " "
 Level 3^d rate land. Timber Beech, Ark, Elm,
 Hickory, Poplar & Vlg. Prickly Ark, Spice,
 Willow &c. November 17, 1838

North on the E. Boundary of Sec. 13

7.94 a Sugar 36 in. dia.
 16.50 a Beech 24 " "
 24.88 a R. Oak 29 " "
 40.00 set of sec. part from which
 a Syc 4 in. dia. bears N 59° W 14 lbs. dist. 8
 a Hickory 8 " " " S 7° W 41 " "
 23.59 a W. Elm 28 " "
 79.73 a Beech 40 " "

Camp?

T. 20 N., R. 1 E. 2.^d Mer. Ind. a.

Ch. Sk.

80.00 set post cor. of sec. 12 & 13 from which
 a Beech 16 in. dia. bears S 67° W 19 1/2 M. dist. S
 unknown? 6 " " " N 62° W 40 " "
 Gently rolling 2^d rate land. Timber Beech, Ash,
 Elm, Poplar, Hickory, Sugar, Walnut & Spice &c.

North on the E. Boundary of Sec. 12

6.18 a Bur Oak 24 in. dia.
 33.26 a B. Walnut 14 " "
 35.68 a B. Ash 28 " "
 36.40 a Beech 30 " "
 40.00 set q. sec. post from which
 a Beech 20 in. dia. bears N 43° W 26 M. dist. S
 a Do 24 " " " S 38° W 42 " "
 40.64 a W. Oak 50 " "
 60.08 a B. Walnut 28 " "
 71.40 an Indian trace, NW
 80.00 set post cor. of sec. 10 & 12 from which
 a Beech 7 in. dia. bears N 28° W 5 M. dist. S
 a Do 16 " " " S 54° W 40 " "
 Gently rolling rich 2^d rate land. Timber
 Beech, Oak, Ash, Poplar, Walnut & Upr.
 Spice &c. November 19, 1838

North on the E. Boundary of Sec. 1

12.50 a Beech 36 in. dia.
 25.80 Intersect S. Boundary of F. Godfrey's grant
 N^o 3, set post from which
 a Beech 8 in. dia. bears N 12° E 9 M. dist. S
 a Do 10 " " " S 21° E 40 " "
 and measured East along said S. Boundary
 824 M. to S. E. corner of said grant N^o 3
 Land same as on last mile. Nov. 27, 1838
 A. S. C. Vance
 Deputy Surveyor.

T. 26 N., R. 1 E. 2^d Mer. Ind. 9

Chs. 1st.

North Boundary. Var. 5.45. E.

East on the S. Boundary of Sec. 31, T27N, R1E.

14.31 a Beech 30 in. dia.

40.00 set of sec. post from which

a Beech 24 in. dia. bears N29W16 Ws. dist. 8

a Do 30 " " " S33E28 " "

52.75 an Elm 26 " "

80.00 set post cor. of sec. 31 & 32 from which

a Buckeye 12 in. dia. bears N11E17 Ws. dist. 8

a Do 15 " " " S25W18 " "

First half mile level land, timber Beech, Wal-
nut. Last half mile Bottom, timber Buck-
eye, Ash & Upr. Spice

East on the S. Boundary of Sec. 32, T27N, R1E

4.07 a Swamp Ash 26 in. dia.

40.00 set of sec. post from which

a Beech 12 in. dia. bears N50E5 Ws. dist. 8

a Do 10 " " " S39E8 " "

40.00 an Elm 36 " "

80.00 set post cor. of sec. 32 & 33 from which

an Ash 16 in. dia. bears S15E21 Ws. dist. 8

a Beech 18 " " " S39E42 " "

This mile level. Timber Beech, Oak, Ash,
Walnut & Upr. Spice

East on the S. Boundary of Sec. 33, T27N, R1E.

40.00 set of sec. post from which

a Sugar 24 in. dia. bears S72W20 Ws. dist. 8

a Beech 24 " " " N77E9 " "

49.33 a Sugar 24 " "

80.00 set post cor. of sec. 33 & 34 from which

a Hackberry 20 in. dia. bears N83E8 Ws. dist. 8

a Beech 10 " " " N65W26 " "

First half mile broken, last half level, timber
Beech, Sugar, Upr. Spice &

T. 26 N., R. 1 E. 2^d. Mer. Ind.?Chs. 1st.

East on the S. Boundary of Sec. 34, T. 27 N., R. 1 E.

6.55 a Beech 24 in. dia.

40.00 set of sec. post from which

a Beech 18 in. dia. bears S 29 E 5 1/2 Mts. dist. &

a Do 20 " " " N 27 E 5 1/4 " "

44.00 a Branch 25 Mts. wide course N.

58.74 a Walnut 20 in. dia.

80.00 set post cor. of sec. 34 & 35 from which

a Beech 26 in. dia. bears S 30 E 1 1/4 Mts. dist. &

a Do 30 " " " N 22 W 4 1/2 " "

This mile level, timber Beech, Sugar, Oak
& Upr. Spice

East on the S. Boundary of Sec. 35, T. 27 N., R. 1 E.

7.50 a Beech 26 in. dia.

40.00 set of sec. post from which

a Beech 16 in. dia. bears S 45 E 4 1/3 Mts. dist. &

a Do 18 " " " N 9 W 4 1/2 " "

54.97 a Sugar 24 " "

70.44 Intersect W. Boundary of Miami Reserve,

(now of J. Godfrey's grant N. 3) set post from

which a Hickory 6 in. dia. bears S 54 W 1 1/2 Mts. dist. &

a Cherry 12 " " " N 42 W 1 1/8 " "

Land level. Timber Walnut, Beech, Elm,

Upr. Spice & June 24, 1821

Henry Bryan

Deputy Surveyor.

Second Principal Meridian, or
West Boundary. Var. 5° 45' E.

North on the E. Boundary of Sec. 36, T. 26 N., R. 1 W

40.00 set of sec. post from which

a Beech 30 in. dia. bears S 59 W 4 Mts. dist. &

a Do 18 " " " S 85 E 2 1/4 " "

45.00 a Brook 6 Mts. wide course NW

50.00 a creek 15 " " " W

T. 26 N., R. 1 E., T. 2. Mer. Ind.^a
 E. W. S. W.

80.00 set post cor. of sec. 25 & 36 from which
 a Beech 30 in. dia. bears S 42° W 41 Yds. dist. 8
 a Sugar 9 " " " N 49° E 29 " "
 Land level & rate, timber Beech, Sugar,
 Lym, Oak &c. good for farming.

North on the E. Boundary of Sec. 25, T. 26 N., R. 1 W

40.00 set q. sec. post from which
 a W. Ash 12 in. dia. bears S 28° E 19 Yds. dist. 8
 an Ironwood 10 " " " N 79° W 22 " "

80.00 set post cor. of sec. 24 & 25 from which
 a Beech 5 in. dia. bears S 9° W 32 Yds. dist. 8
 a L. 12 " " " N 29° E 31 " "
 Land &c. same

North on the E. Boundary of Sec. 24, T. 26 N., R. 1 W

40.00 set q. sec. post from which
 a Hickory 9 in. dia. bears N 54° W 20 Yds. dist. 8
 a B. Ash 12 " " " N 81° E 24 " "

80.00 set post cor. of sec. 13 & 24 from which
 a Hickory 27 in. dia. bears S 21° E 17 Yds. dist. 8
 a Beech 9 " " " N 00° W 10 " "
 Land similar, part wet

North on the E. Boundary of Sec. 13, T. 26 N., R. 1 W

40.00 set q. sec. post from which
 a Beech 9 in. dia. bears S 17° E 37 Yds. dist. 8
 a Poplar 48 " " " N 14° E 23 " "

45.00 a Brook 8 Yds. wide course SW

80.00 set post cor. of sec. 12 & 13 from which
 a W. Ash 5 in. dia. bears N 27° W 13 Yds. dist. 8
 a Poplar 12 " " " S 4° E 31 " "
 South half mile wet, North half rich & good
 for farming.

North on the E. Boundary of Sec. 12, T. 26 N., R. 1 W

T. 26 N., R. 1 E., S. 2 Mer. Ind. &
Ch. & M.

18.00 a Brook 15 Mers. wide course W

40.00 set of sec. part from which

a Sugar 9 in. dia. bears N 48 E 13 Mers. dist. &

a Beech 24 " " " S 83 W 12 " "

80.00 set part cor. of sec. 1 & 12 from which

an Elm 18 in. dia. bears North - Mers. dist. &

a Beech 10 " " " S 80 E 18 " "

Good 2^d rate farming land, timber Beech,
Sugar, Walnut, Poplar, Oak

North on the E. Boundary of Sec. 1, T. 26 N., R. 1 W.

10.00 a Brook 10 Mers. wide course W

40.00 set of sec. part from which

a Beech 7 in. dia. bears S 45 E 16 Mers. dist. &

a Do 27 " " " N 17 E 20 " "

80.00 set part cor. of T. 26 & 27 N., R. 1 E. & 1 W. from

which a Blue Ash 12 in. dia. bears S 24 W 21 Mers. dist.

& a Sugar 20 " " " S 70 E 25 " "

Land rich and good for farming.

November 21, 1819 William Harris

Deputy Surveyor.

Subdivision. Var. S. 45 E.

North between Sec. 31 & 32

10.57 a Swamp Ash 30 in. dia.

35.00 a Stream 40 Mers. wide course SW

40.00 set of sec. part from which

a W. Oak 26 in. dia. bears S 65 E 30 Mers. dist. &

a Do 24 " " " S 10 W 43 " "

45.68 an Ash 24 " "

80.00 set part cor. of sec. 29, 30, 31 & 32 from which

a Sugar 18 in. dia. bears S 53 W 40 Mers. dist. &

a Beech 16 " " " N 83 E 21 " "

This mile level 2^d rate, Beech, Ash, Oak &

Upr. Spice

T. 26 N., R. 1 E. 2^d Mer. Ind^a

Elev. Elev.

West on Random between Sec. 30 & 31

40.00 set temp. gr. sec. post

79.80 Intersect W. Boundary at post—

This mile level 2^d rate, timber Beech, Oak,
H. Upr. Spice H.

East Corrected between Sec. 30 & 31

39.90 set gr. sec. post at aver. dist. from which

a Beech 18 in. diam bears S 33 W 15 lks. dist. &

an Ash 16 " " " N 8 W 18 " "

79.80 to sec. cor.

North between Sec. 29 & 30

20.21 a W. Oak 30 in. dia.

40.00 set gr. sec. post from which

a Sugar 15 in. diam bears S 48 E 32 lks. dist. &

a Hickory 20 " " " N 33 W 45 " "

40.84 an Elm 36 " "

80.00 set post cor. of sec. 19, 20, 29 & 30 from which

a Hickory 10 in. diam bears S 42 W 13 lks. dist. &

a Do 12 " " " N 48 E 17 " "

This mile level 2^d rate. Beech, Oak, Ash &
Upr. Spice

West on Random between Sec. 19 & 30

40.00 set temp. gr. sec. post

80.20 Intersect W. Boundary 25 lks. N. of post—

Level land 2^d rate, timber Beech, Oak & Spice &

East Corrected between Sec. 19 & 30

40.10 set gr. sec. post at aver. dist. from which

an Ash 14 in. diam bears S 50 W 14 lks. dist. &

a Sugar 12 " " " N 26 W 28 " "

80.20 to sec. cor.

North between Sec. 19 & 20

T. 26 N., R. 1 E. 2. Mer. Ind.

Ch. Lk.

32.91 a Lym 15 in. dia.

40.00 set of sec. port from which

an Elm 16 in. dia. bears N45 E 28 W. dist. 8

a Hickory 16 " " " S45 W 34 " "

48.14 an Elm 20 " "

62.74 a Beech 28 " "

80.00 set port cor. of sec. 17, 18, 19 & 20 from which

a Hickory 24 in. dia. bears N49 E 26 W. dist. 8

a Do 12 " " " S42 W 30 " "

Level land, timber Beech, Oak, Hickory, Ash
& 2^d rate, Upr. Spice &c.

West on Random between Sec. 18 & 19

40.00 set temp. of sec. port

80.00 Intersect W. Boundary at port -

This mile level 2^d rate, timber Beech, Oak &c.
Upr. Spice &c.

East Connected between Sec. 18 & 19

40.00 set of sec. port at aver. dist. from which

a Hickory 8 in. dia. bears S47 W 6 W. dist. 8

a Maple 18 " " " N13 W 19 " "

80.00 to sec. cor. June 22. 1821

North between Sec. 17 & 18

24.50 an Ash 12 in. dia.

40.00 set of sec. port from which

a Beech 20 in. dia. bears N63 W 50 W. dist. 8

a Poplar 14 " " " S52 E 20 " "

64.19 a Hickory 30 " "

80.00 set port cor. of sec. 7, 8, 17 & 18 from which

a Beech 24 in. dia. bears N59 W 17 W. dist. 8

a Do 20 " " " S24 E 24 " "

First half mile swampy, last half mile
level 2^d rate, timber Beech, Oak, Ash, Hickory
&c. Upr. Spice

T. 20 N., R. 1 E. 2^d Mer. Ind.^aCh^a. 1st.

West on Random between Sec. 7 & 18

40.00 set g. sec. post (temp.)

80.15 Intersect W. Boundary 20 M^s. N. of post—First half mile level, last half hilly 2^d rate
Timber Walnut, Beech, Oak, Poplar &
Upr. Spruce &

East Corrected between Sec. 7 & 18

40.0th set g. sec. post at aver. dist. from whicha B. Oak 24 in. dia. bears N 32° W 40 M^s. dist. 8

a Sugar 24 " " " S 5° E 17 " "

80.15 to sec. cor.

North between Sec. 7 & 8

40.00 set g. sec. post from which

a Sugar 24 in. dia. bears N 69° E 16 M^s. dist. 8

a Do 12 " " " S 89° W 13 " "

80.00 set post cor. of Sec. 5, 6, 7 & 8 from which

a Beech 24 in. dia. bears S 48° W 29 M^s. dist. 8

a Sugar 12 " " " N 54° E 34 " "

First half mile swampy, last half level.

2^d rate. Timber Beech, Oak, Walnut & Spruce

West on Random between Sec. 6 & 7

40.00 set temp. g. sec. post

80.00 Intersect W. Boundary 15 M^s. N. of post—This mile level 2^d rate, timber Beech, Walnut,
Poplar & Upr. Spruce

East Corrected between Sec. 6 & 7

40.00 set g. sec. post at aver. dist. from which

a Beech 20 in. dia. bears S 15° W 22 M^s. dist. 8

a Do 18 " " " N 43° W 14 " "

80.00 to sec. cor.

North between Sec. 5 & 6

T. 20 N., R. 1 E. 2^d. Mer. Ind.Ch. 1st

40.00 set q. sec. post from which
 an Ironwood 12 in. dia. leans N 51° W 22 lbs. dist. 8
 a Beech 24 " " " N 22° E 24 " "

80.00 Intersect N. Boundary 40 lbs. E. of post—
 set post at intersection cor. of sec. 5 & 6 from which
 a Buckeye 24 in. dia. leans S 43° E 20 lbs. dist. 8
 a Sugar 26 " " " S 34° W 35 " "

This mile good 2^d rate, timber Beech, Walnut,
 Sugar & Upr. Spruce June 23. 1821

North between Sec. 32 & 33

0.00 a Beech 24 in. dia.

20.00 a Stream 60 lbs. wide course NW

40.00 set q. sec. post from which
 a Buckeye 12 in. dia. leans S 22° W 13 lbs. dist. 8
 a Do 16 " " " N 60° E 26 " "

73.50 a B. Oak 36 " "

80.00 set post cor. of sec. 28, 29, 32 & 33 from which
 a Beech 16 in. dia. leans S 31° E 30 lbs. dist. 8
 a Do 30 " " " N 16° W 24 " "

This mile level good 2^d rate land. Timber
 Beech, Oak, Ash & Upr. Spruce

West in Random between Sec. 29 & 32

40.00 set temp. q. sec. post

80.25 Intersect N & S. line at post—

Level 2^d rate land, Beech, Hickory, Oak &
 Upr. Spruce &

East Corrected between Sec. 29 & 32

40.12^h set q. sec. post at aver. dist. from which
 a Beech 24 in. dia. leans N 7° E 26 lbs. dist. 8
 a Do 12 " " " S 11° E 10 " "

80.25 to sec. cor.

North between Sec. 28 & 29

T. 26 N., R. 1 E. 2^d. Mer. Ind.?

Chs. 1st?

0.80 a Beech 18 in. dia.

40.00 set of sec. post from which

a Beech 20 in. dia. bears S 22° W 32 Ws. dist. 8

a Do 30 " " " N 58° E 33 " "

02.26 a W. Oak 24 " "

80.00 set post cor. of sec. 20, 21, 28 & 29 from which

a Hickory 16 in. dia. bears S 7° E 5 Ws. dist. 8

a S. Ash 12 " " " N 81° W 35 " "

This mile level wet land. Upr. Spice

West on Random between Sec. 20 & 29

40.00 set temp. of sec. post

80.14 Intersect N. & S. line 20 Ws. N. of post—

This mile level 2^d rate, timber Beech, Oak,

Ash & Upr. Spice &

East Corrected between Sec. 20 & 29

40.07 set of sec. post at aver. dist. from which

a W. Oak 18 in. dia. bears S 50° E 19 Ws. dist. 8

a Do 12 " " " N 88° W 29 " "

80.14 to sec. cor. June 25. 1821

North between Sec. 20 & 21

33.13 a Hickory 20 in. dia.

40.00 set of sec. post from which

an Elm 18 in. dia. bears S 40° W 14 Ws. dist. 8

a W. Oak 15 " " " N 55° E 27 " "

71.85 a Hickory 18 " "

80.00 set post cor. of sec. 10, 17, 20 & 21 from which

a Hickory 18 in. dia. bears S 48° W 25 Ws. dist. 8

an Ash 12 " " " N 42° E 28 " "

This mile level wet land. Timber Ash, Beech,

Hickory & Upr. Spice

West on Random between Sec. 17 & 20

40.00 set temp. of sec. post

T. 20 N., R. 1 E. 2.^d Mer. Ind.

Chs. Sh.

79.85 Intersect N & S. line 20 hrs. N. of part—
This mile swampy wet land. Timber Beech,
Ash & Upr. Spice

East Corrected between Sec. 17 & 20

39.92^h set of sec. part at aver. dist. from which
a Beech 14 in. dia. bears N 71° W 8 hrs. dist. 8
a W. Oak 24 " " " S 34° E 25 " "

79.85 to sec. cor.

North between Sec. 16 & 17

33.00 an Ash 26 in. dia.

40.00 set of sec. part from which
a Beech 30 in. dia. bears S 49° W 50 hrs. dist. 8
a W. Oak 18 " " " N 60° E 30 " "

59.50 a W. Oak 24 " "

80.00 set part cor. of sec. 8, 9, 16 & 17 from which
a Beech 16 in. dia. bears S 50° W 11 hrs. dist. 8
a Do 10 " " " N 42° E 19 " "
This mile swampy, timber Beech, Oak,
Hickory. Upr. Spice

West in Random between Sec. 8 & 17

40.00 set temp. of sec. part

79.82 Intersect N & S. line 15 hrs. S. of part—
Level wet land, timber Beech, Oak, Hickory
& Upr. Spice

East Corrected between Sec. 8 & 17

39.91 set of sec. part at aver. dist. from which
a Hickory 16 in. dia. bears S 43° E 13 hrs. dist. 8
a Do 15 " " " N 61° W 36 " "

79.82 to sec. cor.

North between Sec. 8 & 9

24.68 an Elm 24 in. dia.

T. 26 N., R. 1 E. 2^d Mer. Ind?

Ch. Lk.

40.00 set of sec. post from which
an Ash 15 in. diam bears N 14 E 43 lbs. dist. 8
an Elm 16 " " " S 1 W 100 " "

72.00 a Sugar 20 " "

80.00 set post cor. of sec. 4, 5, 8 & 9 from which
a Beech 24 in. diam bears S 85 E 36 lbs. dist. 25
a Do 20 " " " S 25 W 13 " "
This mile level, first half mile swampy,
last half dry. Timber Beech, Oak & Spice

West on Random between Sec. 5 & 8

40.00 set temp. of sec. post

80.00 Intersect N. G. line at post -

Said this mile level 2^d rate, Beech, Oak, Sugar
& Open woods

East Corrected between Sec. 5 & 8

40.00 set of sec. post at aver. dist. from which
a Beech 18 in. diam bears S 62 E 9 lbs. dist. 25
a Do 12 " " " N 1 W 16 " "

80.00 to sec. cor. June 26, 1821

North between Sec. 4 & 5

22.47 a Beech 20 in. diam.

40.00 set of sec. post from which

a Beech 10 in. diam bears N 65 W 4 lbs. dist. 8

a Do 10 " " " S 88 E 15 " "

53.81 a Sugar 36 " "

80.00 Intersect N. Boundary at post -

First half mile level 2^d rate, last half
rolling 2^d rate, timber Beech, Walnut,
Poplar, Oak & Open woods

North between Sec. 33 & 34

10.00 a Beech 30 in. diam.

40.00 set of sec. post from which

T. 26 N., R. 1 E. 2. Mer. Ind.

Ch. 1st.

a Hickory 14 in. dia. bears S 60 E 35 W. dist. 2
 a Beech 20 " " " N 72 W 42 " "
 43.50 a Stream 50 W. wide come W.
 53.50 a Beech 18 in. dia.
 80.00 a Beech 30 " " corner tree for sec. 27, 28, 33
 & 34 Land level wet. Timber Beech, Oak,
 Walnut & Ylgs. Ironwood &

West on Random between Sec. 28 & 33

40.00 set temp. of sec. part
 79.87 Intersect N. & S. line 20 W. N. of part—
 Land level, timber Beech, Oak & Brushy &

East Corrected between Sec. 28 & 33

39.93 1/2 set of sec. part at av. dist. from which
 a Beech 14 in. dia. bears S 36 E 20 W. dist. 2
 a Do 12 " " " N 33 E 20 " "
 79.87 to sec. cor. June 27, 1821

North between Sec. 27 & 28

21.50 a Beech 24 in. dia.
 40.00 set of sec. part from which
 a Beech 12 in. dia. bears N 67 W 12 W. dist. 2
 a B. Oak 36 " " " S 73 E 23 " "
 46.10 an Ash 24 " "
 80.00 set part cor. of sec. 21, 22, 27 & 28 from which
 a Beech 30 in. dia. bears S 63 E 27 W. dist. 2
 a Do 30 " " " N 55 W 24 " "
 Level land, Beech, Elm, Oak & Brushy

West on Random between Sec. 21 & 28

40.00 set temp. of sec. part
 79.90 Intersect W. Boundary 30 W. N. of part—
 This mile level wet swampy & brushy land

East Corrected between Sec. 21 & 28

T. 20 N., R. 1 E. 2.^d Mer. Ind.^a

Chs. Lks.

39.95 set g. sec. post at aver. dist. from which
 a W. Oak 15 in. dia. bears S 21° W 23 lbs. dist. 8
 a Do 30 " " " N 51° E 18 " "
 79.90 to sec. cor.

North between Secs. 21 & 22

40.00 set g. sec. post from which
 a Beech 18 in. dia. bears S 40° W 19 lbs. dist. 8
 a Do 30 " " " N 57° W 38 " "
 41.54 an Ash 24 " "
 63.00 a Sugar 30 " "
 80.00 set post cor. of sec. 15, 16, 21 & 22 from which
 an Ash 15 in. dia. bears N 22° W 29 lbs. dist. 8
 a W. Oak 30 " " " S 44° E 30 " "
 This mile level 2.^d rate, Beech, Oak, Ash &
 Upr. Spruce &

West on Raudern between Secs. 16 & 21

40.00 set temp. g. sec. post
 80.12 Intersect N & S line 15 lbs. N. of post—
 This mile level 2.^d rate, timber Beech, Ash,
 Oak & Open woods

East Corrected between Secs. 16 & 21

40.06 set g. sec. post at aver. dist. from which
 a W. Oak 15 in. dia. bears S 4° E 4 lbs. dist. 2
 a Sugar 18 " " " N 6° E 31 " "
 80.12 to sec. cor.

North between Secs. 15 & 16

18.79 a Lym 24 in. dia.
 40.00 set g. sec. post from which
 a B. Oak 16 in. dia. bears S 22° E 13 lbs. dist. 2
 an Ash 10 " " " N 50° W 23 " "
 66.66 an Elm 24 " "
 80.00 set post cor. of sec. 9, 10, 15 & 16 from which

T. 26 N., R. 1 E. 2. Mer. Ind.

Ch. 20.

a Beech 16 in. dia. bears N 22 W 19 lbs. dist. 8
 an Ash 10 " " S 56 E 29 " "
 Land level 2^d rate, timber Beech, Ash, Oak
 & Ulp. Spruce June 28. 1821

West on Random between Sec. 9 & 10

40.00 set temp. of sec. post

80.00 Intersect N & S. line 18 lbs. N. of post -

Level 2^d rate land, timber Beech, Oak &
 Ulp. Spruce

East Corrected between Sec. 9 & 10

40.00 set of sec. post at corner. dist. from which

a Hickory 10 in. dia. bears S 11 E 3 lbs. dist. 8

an W. Oak 36 " " N 11 W 19 " "

80.00 to sec. cor.

North between Sec. 9 & 10

7.30 a B. Oak 20 in. dia.

40.00 set of sec. post from which

a Beech 24 in. dia. bears S 56 E 37 lbs. dist. 8

a Hickory 18 " " N 63 W 28 " "

62.06 a Poplar 24 " "

80.00 set post cor. of sec. 3, 4, 9 & 10 from which

an Ash 26 in. dia. bears N 53 W 39 lbs. dist. 8

a Sugar 14 " " S 57 E 37 " "

Land level 2^d rate, timber Beech, Sugar, Oak
 & Open woods

West on Random between Sec. 4 & 9

40.00 set temp. of sec. post

80.00 Intersect N & S. line 20 lbs. N. of post -

Level 2^d rate land, timber Beech, Sugar, Oak
 & Open woods

East Corrected between Sec. 4 & 9

T. 26 N., R. 1 E. 2^d. Mer. Ind.^aCh. 10th

40.00 set q. sec. post at aver. dist. from which
 a Beech 20 in. dia. bears N 63° W 12 M. dist. 8
 a Linn 12 " " " S 40° E 35 " "
 80.00 to sec. cor.

North between Sec. 34 & 44

9.59 a Poplar 20 in. dia.
 38.28 a Walnut 48 " "
 40.00 set q. sec. post from which
 a Beech 24 in. dia. bears S 8° E 10 M. dist. 8
 a Do 12 " " " N 69° W 7 " "
 51.38 a Beech 20 " "
 60.15 a Do 18 " "
 80.00 Intersect N. Boundary 30 M. E. of post—
 set post cor. of sec. 34 at intersection from which
 an Ash 10 in. dia. bears S 27° E 26 M. dist. 8
 a Do 10 " " " S 40° W 15 " "
 Level land, timber Beech, Ash, Sugar &
 Open woods. June 29. 1821

North between Sec. 34 & 35

10.00 a B. Oak 30 in. dia.
 40.00 set q. sec. post from which
 a Walnut 12 in. dia. bears S 88° E 3 M. dist. 8
 an Ironwood 8 " " " N 36° W 3 " "
 49.36 a Beech 36 " "
 80.00 set post cor. of sec. 26, 27, 34 & 35 from which
 a Beech 18 in. dia. bears S 38° W 20 M. dist. 8
 a Do 24 " " " N 32° E 36 " "
 Land level & swampy. Beech, Oak, Ash &
 Brushy

West on Random between Sec. 27 & 34

40.00 set temp. q. sec. post
 80.00 Intersect N. S. line 20 M. S. of post—
 Level 2^d rate, Beech, Oak, Hickory & Spice

T. 26 N., R. 1 E. 2^d Mer. Indk.

Chs. 100.

East Connected between Sec. 27 & 34

40.00 set of sec. post at aver. dist. from which
 an Ash 20 in. dia. bears S 42° W 8 lbs. dist. 8
 an Elm 14 " " " N 22° W 11 " "

80.00 to sec. cor.

East between Sec. 26 & 35

4.60 a W. Oak 36 in. dia.

40.00 set of sec. post from which
 a Beech 16 in. dia. bears S 47° W 32 lbs. dist. 8
 a Do 18 " " " S 27° E 33 " "

50.85 an Elm 24 " "

75.38 Intersect N. Boundary of Miami Reservation,
 set post from which

a Beech 15 in. dia. bears N 18° W 20 lbs. dist. 8
 an Ash 18 " " " S 61° W 50 " "

Land level 2^d rate, timber Beech, Oak, Hick-
 ory. Ugly. Spice

North between Sec. 26 & 27

11.88 a Lym 20 in. dia.

40.00 set of sec. post from which
 a Hickory 12 in. dia. bears S 45° E 17 lbs. dist. 8
 a Do 14 " " " N 41° W 37 " "

55.40 an Ash 14 " "

80.00 set post cor. of sec. 22, 23, 26 & 27 from which
 an Ash 14 in. dia. bears S 62° W 18 lbs. dist. 8
 a Willow 15 " " " N 17° E 32 " "

This mile brushy and swampy. Timber
 Beech, Oak, Ash &c.

West on Random between Sec. 22 & 27

40.00 set temp. of sec. post

80.00 Intersect N. & S. line at post

Level 2^d rate, Beech, Oak, Hickory. Spice

T. D. N., R. 1 E. 2. Mer. Ind.?

Ch. Ch.

East Connected between Sec. 22 & 27

40.00 set g. sec. post at aver. dist from which
an Ash 24 in. dia. bears N34°W 18 krs. dist. &
a Beech 20 " " " S34°E 60 " "

80.00 to sec. cor. June 30, 1821

East between Sec. 23 & 26

34.40 a Sugar 24 in. dia.

40.00 set g. sec. post from which
a Beech 14 in. dia. bears N10°W 17 krs. dist. &
a Do 10 " " " S51°W 20 " "

45.80 an Ash 30 " "

75.01 Intersect W. Boundary of Miami Reserve,
set post from which

an Ash 16 in. dia. bears S56°W 65 krs. dist. &

a Lym 12 " " " N55°W 56 " "

Level Prato land, Beech, Oak, Ash &
Upr. Spice.

North between Sec. 22 & 23

18.26 an Elm 26 in. dia

40.00 set g. sec. post from which
a Beech 14 in. dia. bears S24°W 35 krs. dist. &
a Do 14 " " " N02°E 22 " "

45.54 a W. Oak 30 " "

80.00 set post cor. of sec. 14, 15, 22 & 23 from which
a Beech 20 in. dia. bears N41°E 7 krs. dist. &
a Lycamore 30 " " " S43°W 37 " "
This mile level Prato, Beech, Oak, Ash &
Upr. Spice.

West in Raudon between Sec. 15 & 22

40.00 set temp. g. sec. post

80.00 Intersect N. & S. line 20 krs. S. of post -

This mile level, timber Beech, Oak &
Upr. Spice

T. 20 N., R. 1 E. 2^d Mer. Ind.

Chs. 2nd

East Connected between Sec. 15 & 22

40.00 set of gr. sec. part at aver. dist. from which
a Beech 16 in. dia. bears N 74° W 19 lbs. dist. 8
an Ironwood 8 " " " S 66° E 22 " "

80.00 to sec. cor.

East between Sec. 14 & 23

14.36 a Beech 36 in. dia.

40.00 set of gr. sec. part from which

a Beech 20 in. dia. bears N 69° E 34 lbs. dist. 8
a Do 20 " " " S 10° E 19 " "

40.24 an Elm 30 " "

75.64 Intersect W. Boundary of Miami Reservation,
set part from which

a Beech 24 in. dia. bears S 61° W 30 lbs. dist. 8
a Do 30 " " " N 73° W 38 " "

Level 2^d rate land, Beech, Oak, Hickory
Wgs. Spruce July 1. 1821

North between Sec. 14 & 15

16.78 a Beech 16 in. dia.

40.00 set of gr. sec. part from which

an Elm 6 in. dia. bears S 32° W 3 lbs. dist. 8
an Ironw. 6 " " " N 55° E 4 " "

59.10 a Poplar 24 " "

80.00 set part cor. of Sec. 10, 11, 14 & 15 from which

an Ash 15 in. dia. bears N 66° E 13 lbs. dist. 8
a W. Oak 30 " " " S 71° W 43 " "

Level 2^d rate land, timber Beech, Ash
& Open woods.

West on Random between Sec. 10 & 15

40.00 set temp. gr. sec. part

80.09 Intersect N & S. line at part -

This mile level 2^d rate, timber Beech,
Ash & Open woods

T. 20 N., R. 1 E., T. 1 Mer. Ind.

E. 1/2 Sec.

East Corrected between Sec. 10 & 15

40.04 set of sec. part at aver. dist. from which
 an Elm 26 in. diam. bears N 76 E 9 lks. dist. &
 an Iron P. 6 " " " S 43 W 24 " "

80.09 to sec. cor.

East between Sec. 12 & 14

9.23 an Elm 24 in. diam.

40.00 set of sec. part from which
 a Beech 10 in. diam. bears S 41 E 19 lks. dist. &
 a Do 12 " " " N 39 W 21 " "

71.25 an Ash 24 " "

75.68 Intersect N. Boundary of Miami Reservation,
 set part from which
 a Hickory 15 in. diam. bears N 69 W 16 lks. dist. &
 a Lym 10 " " " S 46 W 28 " "
 Level & prairie land. Beech, Ash, Oak &
 Open woods

North between Sec. 10 & 11

10.38 an Elm 30 in. diam.

40.00 set of sec. part from which
 a Sugar 14 in. diam. bears N 59 W 24 lks. dist. &
 a Beech 10 " " " N 81 E 36 " "

44.00 a Poplar 40 " "

80.00 set part cor. of sec. 2, 3, 10 & 11 from which
 a Beech 24 in. diam. bears N 20 W 17 lks. dist. &
 a Do 18 " " " S 82 E 66 " "
 Level land, Beech, Oak, Ash. Open
 woods

West on Random between Sec. 3 & 10

40.00 set temp. of sec. part

80.12 Intersect N. & S. line at part—

This mile level & prairie, timber Beech, Oak,
 Hickory. Open woods

T. 26 N., R. 1 E., 2^d Mer. Ind.Ch. 2^d

Cart Corrected between Sec. 3 & 10

40.00 set g. sec. post at aver. dist. from which
 a Beech 30 in. diam bears N 26° W 23 1/2 krs. dist. 8
 a Do 10 " " " S 22° E 27 " "

80.00 to sec. cor. July 2, 1821

Cart between Sec. 2 & 11

4.95 a Beech 30 in. dia.

40.00 set g. sec. post from which
 a Beech 12 in. diam bears S 3° E 14 krs. dist. 8
 a Sugar 10 " " " N 20° W 43 " "

43.92 a Poplar 30 " "

70.10 Intersect W. Boundary of Miami Reservation,
 set post from which

a Sugar 20 in. diam bears N 19° W 29 krs. dist. 8
 a Beech 24 " " " S 24° W 47 " "

First half mile open woods, last half mile
 brushy 2^d rate land, timber Beech, Ash,
 Oak &c.

North between Sec. 2 & 3

15.65 an Elm 30 in. dia.

40.00 set g. sec. post from which
 a Beech 20 in. diam bears S 30° W 7 krs. dist. 8
 a Sugar 12 " " " S 60° E 20 " "

72.10 a Hickory 18 " "

80.00 Intersect N. Boundary 50 krs. E. of post —
 set post at intersection cor. of Sec. 2 & 3 from which

a Beech 18 in. diam bears N 35° E 9 krs. dist. 8
 an Elm 10 " " " S 33° W 46 " "

Land 2^d rate, timber Beech, Walnut,
 Poplar. Open woods.

July 3, 1821. Surveyed by
 Henry Bryan
 Deputy Surveyor.

T. 26 N., R. 1 E. 2^d. Mer. Ind.

Ch. Lk.

Commenced subdividing fractional Township N. 26 North, of Range N. 1 East of 2^d. Principal Meridian in the State of Indiana, on the 17th day of November 1838, and completed said subdivision on the 27th day of the same month. Var. 5° 45' E.

West in Random between Sec. 25 & 30

31.50 over dry Branch 25 Ws. wide corner SW

78.10 Intersect old Indian Boundary 20 Ws. S. of post -
Flat wet 3^d rate land, timber Elm, Maple,
Ash, Oak &c. Upr. Pickly Ash, Willow &c.

S. 89° 51' E. Connected between Sec. 25 & 30

0.45 a Gray Ash 40 in. dia.

20.44 a Hickory 20 " "

38.10 at 1st sec. post from which

a Beech 38 in. dia. bears South 17 Ws. dist. 18

a Do 24 " " " N 20 E 28 " "

45.66 a quadruple Maple 40 in. dia.

62.12 at B. Ash 12 in. dia.

78.10 to sec. cor.

West in Random between Sec. 24 & 25

77.00 Intersect old Indian Boundary 12 Ws. S. of post -

First half same as last line, last half mile
level & dry land. Timber Beech, Oak,
Elm, Ash, Maple, Hickory &c. Upr. Pickly
Ash, Willow &c.

East Connected between Sec. 24 & 25

1.31 a Beech 36 in. dia.

21.72 a Poplar 38 " "

37.00 at 1st sec. post from which

a Beech 9 in. dia. bears South 33 Ws. dist. 8

a Gum 10 " " " N 21 E 5 " "

39.58 at R. Oak 40 " "

T. 26 N., R. 1 E. 2. Mer. Ind.

Ch. 20.

61.85 a Swamp Ash 18 in. dia.

77.00 to sec. cor. November 17, 1838

West on Random between Sec. 13 & 24

75.62 Intersect old Indian Boundary 40 W. S. of post -
Level 2. rate land. Timber Beech, Oak, Ash,
Elm, Poplar, Maple & Upr. P. Ash, Spice &c

89.41 E. Corrected between Sec. 13 & 24

Bearings for corner in old Indian Boundary
a Poplar 7 in. dia. bears S 42 E 20 W. dist. 2
a W. Oak 60 " " " N 7 E 30 " "

5.63 a Beech 10 " "

10.02 a Do 20 " "

37.81 set of sec. post from which

a Beech 12 in. dia. bears N 19 E 27 W. dist. 8

a Do 30 " " " S 39 W 24 " "

42.13 a R. Oak 30 " "

63.84 a Lym 11 " "

75.62 to sec. cor.

West on Random between Sec. 12 & 13

74.45 Intersect old Indian Boundary 50 W. S. of post -
Level 2. rate land. Timber Beech, Ash,
Poplar, Elm, Hickory, Sugar & Spice &c

89.37 E. Corrected between Sec. 12 & 13

3.61 a Swamp Ash 7 in. dia.

15.57 a R. Oak 16 in. dia.

34.45 set of sec. post from which

a Beech 12 in. dia. bears N 2 E 11 W. dist. 3

a Sup. Ash 14 " " " S 40 W 5 " "

36.95 a Swamp Ash 26 in. dia.

59.65 a Hickory 20 in. dia.

74.45 to sec. cor. November 19, 1838

T. 20 N., R. 1 E. 2^d Mer. Ind.Ch. 1. 2^d Mer.

West on Random between Sec. 1 & 12

- 2.75 an Indian trace, NW
 48.00 over Spring run 2^{ds} wide course NW
 53.00 over Do 2 " " " N
 64.50 Chalibeate Spring, South 60^{ds}.
 72.50 Intersect 206^{ds} S. of post—
 Rolling rich 2^d rate land. Timber Beech, Ash,
 Elm, Walnut & V. Upr. Spruce, Pawpaw &
 Indications of limestone rock.

S. 88.21 E. Connected between Sec. 1 & 12

- 7.20 a Beech 16 in. dia.
 18.34 a Sugar 24 " "
 32.50 set of sec. post from which
 a Beech 24 in. dia. bears N 69° W 12^{ds} dist. 8
 a Do 22 " " " S 88° E 30 " "
 38.64 a Beech 23 " "
 47.72 an Elm 36 " "
 72.50 to sec. cor. November 27. 1838

General description.

The largest portion of the land in this Township is second rate. Soil rich and from 6 to 8 inches deep. Timber tall and abundant.

The land near the Wabash River is finely watered. The balance on Rock Creek has no living water. The bottom land near the river is based on lime stone rock, which shows itself in many places over the surface.

I hereby certify that in pursuance of a contract with Robert T. Lytle, Surveyor General of the United States for the States of Ohio, Indiana, and Michigan, bearing date the 10th day of May 1838, and in strict conformity with the Laws of the United States and the Instructions of said

Compt.

T. 26 N., R. 1 E. 2^d Mer. Ind.^a

Surveyor General, I have surveyed and subdivided into sections fractional Township N^o 26 North, of Range N^o 1 East of the Principal Meridian, in the State of Indiana; And I do further certify that the foregoing are the true and original field notes of said survey and subdivision executed as aforesaid.

Certified this 6th day of December 1838

Ar. J. C. Vance

Deputy Surveyor.

David ^{his} Frazier } Chain carriers
John ^{mark} F. Sims }
John P. Johnson, Marker.

I certify that the foregoing transcript of field notes of the survey of Township N^o 26 N., of Range N^o 1 East of the 2^d Principal Meridian, in the State of Indiana, has been compared with the original on file in this office, and found to be correct.

Surveyor General's Office,
Cincinnati, Oct. 24. 1844 }

William Johnston
Sur. Genl.